

# FutureNeuro<sup>™</sup> FN-SILL-3 Embossed Sensing Cable

#### **FEATURES**

- Two sensing optical fibers
- Non-slippery embossed sheath
- No elastic hysteresis effects
- Long-term heat resistance up to 80 °C
- Tensile strength up to 25 kg-f



**T**he FN-SILL-3 is designed for strain and temperature measurements. It consist of 2 optical fibers (in the cable center) and 2 reinforcing bars, which allow cable to sustain up to 25 kg force.

The embossed grid makes it easy to embed the cable or attach it to the measured object/structure.

The outer sheath is made from olefin elastomers, which exhibits superior characteristics regarding long-term heat- and UV-resistance. It also ensures there is no elastic hysteresis effect. Thus, FN-SILL-3 offers linear responses to the mechanical or thermal loads, providing accurate strain or temperature measurement.

### Validated no-hysteresis performance



The Figure above presents measurements results in both fibers of FN-SILL-3 cable subject to 40 hours of thermal load test (20-80-20 °C, with 10 °C step). In total, 640,000+ data points were available for hysteresis effects analysis.

The results clearly demonstrate that the cable maintained its structure and cable reinforcing members keep the low elongation and deformation characters during temperature increase and decrease.

#### Applications

FN-SILL-3 cable is ideal for civil engineering applications where it can be embedded in Reinforced Concrete structure. As shown in the picture, the sensing fiber is attached to rebar for strain measurement.

In this particular installation as below the FN-SILL-3 was *pre-soaked* in mortar to enhance its bonding with premixed concrete. Usually FN-SILL-3 does not need to pre-treated due to its embossed sheath.

#### Specifications FN-SILL-3

Fiber Type	10 / 125 µm Single-Mode Fiber			
Fiber count			2	
Attenuation			< 0.5 dB/km	
Strain Sensing Range*( $\Delta\epsilon$ )			5000 με	
Temperature Sensing Range			-20 to +80 C	
Bending Radiu	s		> 15 mm	
Outer Sheath O		Olefir	Olefinic elastomers	
Strength Member		φ0.3mm, SUS304 x2		
Tensile Strength		25 kg-f		
Dimension (W x H)		4.3 x 1.7 mm		
Weight		12 g /m		
Operation Temperature		-20 to +80 C		
Storage Temperature			-40 to +85 C	

\* Depends on cable installation. Please contact us for more information.
\*\* All specifications are subject to change without notice.

#### Configurations



Strength members

NFIJR



Application example: Embedded in reinforced concrete structure

## Neubrex Co., Ltd.

Sakaemachi-dori 1-1-24, Chuo-ku, Kobe Hyogo 650-0023, Japan Tel: +81-78-335-3510 www.neubrex.com